

Multitask Peer Prediction With Task-dependent Strategies

Yichi Zhang and Grant Schoenebeck

School of Information, University of Michigan

Abstract

Peer prediction aims to incentivize truthful reports from agents whose reports cannot be assessed with any objective ground truthful information. In the multi-task setting where each agent is asked multiple questions, a sequence of mechanisms have been proposed which are *truthful* — truth-telling is guaranteed to be an equilibrium, or even better, *informed truthful* — truth-telling is guaranteed to be one of the best-paid equilibria. However, these guarantees assume agents’ strategies are restricted to be *task-independent*: an agent’s report on a task is not affected by her information about other tasks.

We provide the first discussion on how to design (informed) truthful mechanisms for *task-dependent* strategies, which allows the agents to report based on all her information on the assigned tasks. We call such stronger mechanisms *(informed) omni-truthful*. In particular, we propose the joint-disjoint task framework, a new paradigm which builds upon the previous penalty-bonus task framework. First, we show a natural reduction from mechanisms in the penalty-bonus task framework to mechanisms in the joint-disjoint task framework that maps every truthful mechanism to an omni-truthful mechanism. Such a reduction is non-trivial as we show that current penalty-bonus task mechanisms are not, in general, omni-truthful. Second, for a stronger truthful guarantee, we design the matching agreement (MA) mechanism which is informed omni-truthful. Finally, for the MA mechanism in the detail-free setting where no prior knowledge is assumed, we show how many tasks are required to (approximately) retain the truthful guarantees.

1 Introduction

In multi-task peer prediction, the designer has no ground truth information to assess the quality of agents’ reports; nonetheless, the goal is to incentivize agents to exert effort working on information tasks and to report their information honestly. Peer prediction mechanisms meet this challenge by assigning each agent multiple (potentially overlapping) questions, soliciting her reports¹, and rewarding her based on how well her reports correlate with other agents’ reports. Thus, peer prediction serves as a powerful tool for obtaining high-quality information in a multitude of applications ranging from annotating the sentiments of a Twitter dataset to peer grading for a large online course.²

The main goal of peer prediction mechanisms is to encourage truthful reporting by punishing agents with reduced rewards when they lie about their true information (called the “signal”). In this way, strategic agents who aim to game the mechanism for the maximum reward prefer to truthfully report. Previous works on multi-task peer prediction have provided us various mechanisms that can achieve different levels of incentive guarantees [2, 14, 7]. For example, a *truthful* mechanism guarantees that truth-telling is an equilibrium, meaning that if all other agents are reporting truthfully, no unilateral deviation can increase the expected payment. Furthermore, we also want truth-telling to be a desired equilibrium. In particular, an *informed truthful* mechanism additionally guarantees that no strategy profile provides higher expected payment than the truth-telling equilibrium, and the truth-telling equilibrium rewards each agent strictly

¹We are interested in the *minimal* setting where the designer only solicits agents’ reports of the questions. For example, there are mechanisms that are not minimal which additionally solicit each agent’s prediction about other agents [10, 4, 9, 8, 12].

²One may argue that it is possible to obtain some ground truth information to assess agents’ reports in these cases. However, obtaining sufficient ground truth data can be costly (e.g. hiring TAs to grade the assignments), and in certain instances, ground truth may not even exist (e.g. when tasks involve subjective questions). In such cases, it is crucial to have an alternative option.

better than any uninformed strategy³[14]. More recent works are mainly guided by the question of how to design these truthful mechanisms with fewer tasks [5, 11, 6]. This is especially relevant in the *detail-free* setting where the designer has no prior knowledge of agents’ information structure. Here mechanisms are usually implemented by learning the information structure of the reports, and then using the non-detail free mechanism that one would use if the information structure of signals were the learned information structure of the reports. Thus the number of tasks required is typically related to how many tasks are required to learn certain properties of the information structure of the reports.

However, these truthful guarantees are currently developed based on a rather restrictive assumption: agents’ strategies are *task-independent*. A task-independent strategy requires that the agent’s report on each task depends only on her signal on that specific task. For example, if the answer to the questions is either “yes” or “no”, the space of task-independent strategies can be captured by a 2×2 matrix where the entry i, j is the probability that the agent reports j when the signal on that task is i . In contrast, a more general concept of strategy, called the *task-dependent* strategy, allows the agent to base her report of a specific task on her signals of all tasks. For example, the agent may report “yes” less often after observing a lot of “yes” signals on the tasks she has seen. To distinguish, we call the stronger truthful guarantee where a mechanism is (informed) truthful under task-dependent strategies (*informed*) *omni-truthfulness*. Yet, no multi-task peer prediction mechanism is known to be omni-truthful. This raises the following question:

Can we design omni-truthful, or even better, informed omni-truthful multi-task peer prediction mechanisms?

As the goal of peer prediction is to identify and discourage EVERY untruthful strategy, we view the design of omni-truthful mechanisms as one of the fundamental problems of multi-task peer prediction. From the designer’s point of view, now that we assume the agents are trying to game our mechanisms, we really should not assume that they are strategic in a restricted way. Another important motivation is that task-dependent strategies are natural in the multi-task crowdsourcing settings. For example, individuals taking multiple-choice tests tend to avoid providing consecutive answers of the same letter (e.g. answering 5 “A”s in a row), even if they believe that letter is the correct choice. Furthermore, in peer assessment, it is natural to believe that the grader will grade each assignment after comparing it with other assignments. In both cases, an agent’s report on a task depends not only on the signal of that task but also the signals of all the other tasks. Therefore, any mechanism that fails to deal with task-dependent strategies may experience incentive issues in real-life.

Before we present our results, we first introduce the bonus-penalty (BP) task framework, which is widely used in previous literature [2, 14, 11]. At a high-level, the BP-framework randomly selects a commonly answered bonus task b and two distinct penalty tasks p and q . An agent Alice (the agent who is being scored) is rewarded if her report on the bonus task b is correlated with the report of Bob’s (a randomly chosen peer) on the same task; and Alice is punished if her report on the penalty task p is correlated with Bob’s report on the other penalty task q .

1.1 Our Contributions

We show that under the BP-framework, a truthful mechanism need not be omni-truthful. The counter-example we use is that under the well-known correlated agreement (CA) mechanism [14], agents can benefit by playing task-dependent strategies even when everyone else is truthfully reporting (section 3.3).

Aware that existing mechanisms may not possess the desired properties of omni-truthfulness, we propose a framework referred to as the joint-disjoint task framework, which simplifies the task-selection rule of the BP-framework (see fig. 1). In particular,

- the JD-framework first independently permutes the order of the tasks assigned to each agent so as to prevent any correlation on the order of tasks;
- instead of sampling three tasks in total, the framework only samples two tasks: a joint task j answered by both agents, and a disjoint task d answered only by Bob;

³A strategy is uninformed if the agent’s reports do not depend on her signals. For example, randomly reporting and always reporting “yes” are two uninformed strategies.

- Alice’s reward is determined by a scoring function with the input of three reports: Alice’s report on j , and Bob’s reports on the j and d .

Thanks to the simplified task-selection rule, the JD-framework is useful in dealing with task-dependent strategies which we show via the following results:

Reduction. We show that one can plug the scoring function of any truthful mechanism under the BP-framework into the JD-framework and obtain an omni-truthful mechanism. — section 3

The MA mechanism. We propose a *informed omni-truthful* mechanism called the matching agreement (MA) mechanism. An initial version of this mechanism requires some prior knowledge. — section 4

Detail-free. When agents’ information structure is unknown, we show that $O(|\Sigma|^3 \log \frac{1}{\delta}/\epsilon^2)$ tasks suffice to make the MA mechanism approximately informed omni-truthful, where ϵ and δ are error terms and $|\Sigma|$ is the size of the signal space (e.g. $|\Sigma| = 2$ for binary questions). — section 5




Figure 1: BP-framework v.s. JD-framework, where $r_{i,k}$ denotes agent i ’s report on task k . The main difference is that while paying Alice, the JD-framework uses agents’ reports from two tasks while the BP-framework uses three tasks; and the JD-framework guarantees that the disjoint task (blue) is sampled from the tasks answered only by Bob (white boxes).

Discussion: Our paper provides the first discussion on designing multi-task peer prediction mechanisms beyond the task-independent strategy assumption. The above result shows that it is relatively easy to generalize truthfulness to omni-truthfulness, where we provide the plug-in method. Examples of mechanisms that can be easily plugged into our JD-framework include the D&G mechanism [2], the CA mechanism [14] and the Φ -pairing mechanisms [11].⁴

However, the plug-in method does not trivially generalize stronger truthful guarantees like the informed truthfulness. Therefore, we additionally propose the MA mechanism. Let r_1 , r_2 and r_3 be Alice’s report on the joint task and Bob’s report on the joint and disjoint task respectively. At a high-level, the MA mechanism works by rewarding Alice if r_1 and r_2 are more likely from the same task compared with matching r_1 and r_3 , and otherwise punishing Alice.

Furthermore, perhaps surprisingly, there is almost no cost of (informed) omni-truthfulness. In the detail-free setting, on one hand, we show that the plug-in mechanism can additionally achieve omni-truthfulness using the same number of tasks as the original mechanism required. For example, the plug-in CA mechanism is not only informed truthful but also omni-truthful using $O(|\Sigma|^3 \log \frac{1}{\delta}/\epsilon^2)$ tasks. On the other hand, we show that for the same error parameters, the MA mechanism requires the same order of tasks as the CA mechanism, but it is (approximately) *informed* omni-truthful.

1.2 Related Works

We locate our paper in the field of multi-task peer prediction. The theory of multi-task peer prediction aims to design mechanisms that have strong incentive guarantees in the minimal (only soliciting agents’ signals) and detail-free (no prior knowledge of agents’ information structure) setting. Witkowski and Parkes [15] study how many tasks are required to learn the prior while guaranteeing truthfulness in the minimal and detail-free setting. Note that all truthful guarantees in this section are, by default, developed under task-independent strategies.

⁴We note that there are mainly two types of mechanisms that do not fit into the BP-framework: the f -mutual information mechanism [7] and the determinant mutual information mechanism [5]. As we will discuss in section 1.2, the former is improved by the Φ -pairing mechanism which lies in the BP-framework.

Dasgupta and Ghosh [2] propose the first multi-task peer prediction mechanism (the *D&G* mechanism), which is *strongly truthful*⁵ when the signal space is binary and every pair of agents’ signals are assumed to be positively correlated.

There are two direct generalizations of the *D&G* mechanism. First, the correlated agreement (CA) mechanism [14] removes the positive correlation assumption and is informed truthful the finite signal space. Our matching agreement (MA) mechanism can be seen as a generalization of the CA mechanism for task-dependent strategies. Second, Kong and Schoenebeck [7] propose the *f*-mutual information framework which also generalizes the *D&G* mechanism to handle finite signal space (independent of the CA mechanism [14]). They show that paying agents based on the *f*-mutual information (a generalization of Shannon mutual information) can achieve mechanisms that are strongly truthful with infinite samples. Interestingly, both the *D&G* mechanism and the CA mechanism are shown to be special cases of the *f*-mutual information mechanism with a special *f* (the total variation distance).

Kong [5] then proposes a determinant based mutual information mechanism, called the DMI mechanism that is informed truthful and dominantly truthful⁶ for ≥ 2 agents and $\geq 2|\Sigma|$ tasks. As DMI is shown to be an unbiased estimator of the mutual information, the main advantage of the DMI mechanism is that it can achieve strict truthful guarantees with a finite number of tasks. In a more recent work, Kong [6] further generalizes this idea and proposes a family of information measures that share the same properties as the determinant mutual information, called the volume mutual information (VMI). This finding triggers a new family of dominantly truthful mechanisms called the VMI mechanisms.

Inspired by Kong and Schoenebeck [7], Schoenebeck and Yu [11] propose the Φ -pairing mechanism which uses a new learning-based method to estimate the mutual information between agents’ reports. The Φ -pairing mechanism is shown to be approximately strongly truthful given $O(\log \frac{1}{\delta}/\epsilon^2)$ tasks. The main advantages of the Φ -pairing mechanism is that it can handle infinite signal space, e.g. signals with continuous domain.

There exist other works that generalize the classic peer prediction model to various setting. For example, Agarwal et al. [1] extend the CA mechanism to incentivise heterogeneous agents, where each agent has one or more types. Schoenebeck et al. [13] consider using robust learning to design robust peer prediction mechanisms to handle adversarial attack. Zhang and Schoenebeck [16] consider how to incentivise effort from crowdsourcing workers using the scores output by a peer prediction mechanism to run a tournament.

2 Model

Consider the general setting of multi-task peer prediction where there are two agents.⁷ Suppose each agent is assigned with n tasks such that 1) the set of overlapping tasks, N_c , has a size of $|N_c| = n_c \in \{1, \dots, n-1\}$; and 2) the overlapping tasks are independent conditioned on n_c . Let N_1 and N_2 be the sets of tasks answered by each of the agents, respectively. Throughout the paper, we consider agent 1 as the agent who is being paid (Alice) and agent 2 as the reference agent (Bob). Suppose tasks have the same finite signal space, i.e. $\Sigma = \{0, 1, \dots, m\}$. Let $S_{i,j}$ denote the signal of agent i on task j . We assume tasks are i.i.d. with the joint distribution $J_{s_1, s_2} = \Pr(S_{1,j} = s_1, S_{2,j} = s_2)$ for every $j \in N_1 \cup N_2$ and $s_1, s_2 \in \Sigma$.⁸ Let $M_s^{(i)} = \Pr(S_{i,j} = s)$ be the marginal distributions of agent i ’s signal for any $j \in N_i$, i.e. $M_s^{(1)} = \sum_{s_2 \in \Sigma} J_{s, s_2}$. We further use \mathbf{S}_i to denote the vector of agent i ’s signals on all tasks.

Agents report strategically, i.e. they apply a (random) mapping on their signals to generate their reports. Agent i ’s report on task j is denoted as $R_{i,j}^\theta$, where θ specifies i ’s strategy. We use \mathbf{R}_i^θ to denote the vector of agent i ’s reports on all assigned tasks. Again, we use the capital letter R to denote the random variable of a report and the lower case r to denote its realization. We use $[n] = \{0, 1, \dots, n\}$ to denote the set of natural numbers less or equal than n .

We are interested in three types of strategies. First, a general strategy in the multi-task setting maps a vector of signals to a distribution over the vector of reports. In other words, the agent first observes the

⁵Strongly truthfulness is a stronger incentive guarantee than informed truthfulness.

⁶A dominantly truthful mechanism guarantees that truth-telling is a dominant strategy for each agent.

⁷If there are more than two agents, while rewarding agent 1, we can randomly select a peer as agent 2. So, without loss of generality, we consider there are only two agents.

⁸We emphasize that an important assumption of the multi-task peer prediction setting is that tasks are i.i.d. and agents cannot distinguish tasks conditioned on their signals. This assumption implies that the agent’s signal exhaustively captures all her information on that task and excludes the existence of “cheap signals”.

signals of all assigned tasks, and then decides her reports of all tasks.

Definition 2.1. A random mapping $C : \Sigma^n \rightarrow \Delta_{\Sigma^n}$ is called a *strategy* where the agent reports $\mathbf{R}_i^C = C(\mathbf{S}_i)$. We denote the space of all strategies as Θ_C .

Second, the task-exchangeable strategy additionally assumes the agents' reports are independent of the order of the tasks. That is, an agent's report on one task depends only on her signal on that task and the number of each signal on other tasks. Formally,

Definition 2.2. A strategy $E : \Sigma \times [n] \rightarrow \Delta_{\Sigma}$ is *task-exchangeable* if the agent reports $R_{i,j}^E = E(S_{i,j}, \gamma(\mathbf{S}_{i,-j}))$ where $\gamma(\mathbf{x}) = (c_{\sigma})_{\sigma \in \Sigma}$ counts the number of occurrence of each signal σ in vector \mathbf{x} with $\sum_{\sigma} c_{\sigma} = |\mathbf{x}|$. We denote the space of such strategies as Θ_E .

Last, a task-independent strategy requires the report on a task to depend only on the agent's signal on that particular task.

Definition 2.3. A strategy $I : \Sigma \rightarrow \Delta_{\Sigma}$ is *task-independent* if the agent reports $R_{i,j}^I = I(S_{i,j})$ with the same strategy for any task $j \in N_i$. We denote the space of such strategies as Θ_I . Specially, we use τ to denote the truth-telling strategy where $\tau(S_{i,j}) = S_{i,j}$ for any j .

By definition, strategies take task-exchangeable strategies as special cases which take task-independent strategies as special cases. Or equivalently, $\Theta_I \subset \Theta_E \subset \Theta_C$. For the first two types of strategies, an agent's strategy on a particular task depends on her signals for other tasks. Inclusively, we call any strategy $\theta \in \Theta_C$ a *task-dependent strategy*. Note that task-independent strategies form a subspace of task-dependent strategies. We further note that the space of task-dependent strategies is considerably richer than the space of task-independent strategies. The former grows exponentially with the number of tasks an agent is assigned while the latter depends only on the size of the signal space.

2.1 Mechanism Design Goals

We aim to design mechanisms that map agents' reports to their payments to incentivize truth-telling. Let $U_i(\theta_i, \theta_j)$ denote the payment of agent i where her strategy is θ_i and her peer's strategy is θ_j . We now introduce the concept of truthfulness in our setting.

Definition 2.4. A mechanism is *truthful* if $U_i(\tau, \tau) \geq U_i(\theta_i, \tau)$ for any i and $\theta_i \in \Theta_I$.

Definition 2.5. A mechanism is *omni-truthful* if $U_i(\tau, \tau) \geq U_i(\theta_i, \tau)$ for any i and $\theta_i \in \Theta_C$.

Omni-truthfulness guarantees truth-telling to be an equilibrium under task-dependent strategies. Stronger equilibrium concepts have been developed to guarantee truth-telling to be not only an equilibrium, but also a desired equilibrium. In particular, we introduce informed truthfulness [14].

Definition 2.6. A strategy μ is *uninformative* if the distribution of agents' reports $\mu(\mathbf{S}_i)$ does not depend on the signal vector \mathbf{S}_i .

Definition 2.7. A mechanism is *informed truthful* if $U_i(\tau, \tau) \geq U_i(\theta_i, \theta_j)$ for any i and $\theta_i, \theta_j \in \Theta_I$. Furthermore, the inequality is strict if at least one of θ_i and θ_j is uninformative.

A mechanism is *informed omni-truthful* if the above is true for all $\theta_i, \theta_j \in \Theta_C$.

Informed truthfulness is desired as it guarantees that any "cheap" strategy including randomly reporting and always reporting the same signal is strictly less desired.

We further introduce an approximate version of the truthful guarantees, which are used in section 5.

Definition 2.8. A mechanism is (ϵ, δ) -*omni-truthful* if with probability at least $1 - \delta$, any unilateral deviation from truth-telling cannot bring an extra expected reward larger than ϵ .

A mechanism is (ϵ, δ) -*informed omni-truthful* if with probability at least $1 - \delta$, no task-dependent strategy profile rewards any agent ϵ more than truth-telling, and any uninformative strategy rewards the agent strictly less than truth-telling in expectation.

Analogously, a (ϵ, δ) -*(informed) truthful* is defined by restricting the strategy space to task-independent strategies.

2.2 The Bonus-Penalty Task Framework and the CA Mechanism

Before we talk about our proposed framework, we first introduce the bonus-penalty (BP) task framework that several well-known peer prediction mechanisms are based on [2, 14, 11].

The BP-framework Given the reports from two agents r_1 and r_2 respectively, the BP-framework pays agent 1 as follows:

1. Pick one task randomly at uniform from N_c as the bonus task b , and pick two distinct tasks randomly at uniform from N_1 and N_2 respectively as the penalty tasks q and p ;
2. Pay agent 1

$$U_1 = T_b(r_{1,b}, r_{2,b}) - T_p(r_{1,q}, r_{2,p}). \quad (1)$$

At a high level, the BP-framework rewards agents if their reports on the bonus task are (positively) correlated⁹, and punish agents if their reports on two distinct penalty tasks are (positively) correlated. The scoring functions T_b and T_p are designed based on the information structure of agents' signals. In this way, truthfulness can be guaranteed because any untruthful task-independent strategy will weaken the correlation on the bonus task and increase the correlation on the penalty tasks. To better illustrate the idea, we introduce the CA mechanism as an example.

Definition 2.9. (Definition 2.1 [14]) The *Delta Matrix* Δ is a $|\Sigma| \times |\Sigma|$ matrix which is the difference between the joint distribution and the product of marginal distributions:

$$\Delta_{i,j} = \Pr(S_1 = i, S_2 = j) - \Pr(S_1 = i)\Pr(S_2 = j) = J_{i,j} - M_i^{(1)}M_j^{(2)}.$$

Denote $T_\Delta(i, j) = \text{Sign}^+(\Delta_{i,j})$ for $i, j \in \Sigma$ as the scoring function, where $T_\Delta(i, j) = 1$ if $\Delta_{i,j} > 0$ and $T_\Delta(i, j) = 0$ otherwise. The CA mechanism is a mechanism that applies the scoring function of $T_b = T_p = T_\Delta$ under the BP-framework, which is shown to be informed truthful.¹⁰

3 The Joint-Disjoint Task Framework

In this section, we provide a framework for designing mechanisms that guarantee truthfulness under task-dependent strategies, called the joint-disjoint (JD) task framework. We first show that under the JD-framework, strategies in general are equivalent to the task-exchangeable strategies thanks to the random permutation step. This property greatly shrinks the strategy space that agents can use to game the mechanism. Second, we show how to plug the scoring function of a truthful mechanism under the BP-framework into our JD-framework and get an omni-truthful mechanism. Finally, we show that the simplifications we made in the JD-framework are necessary to guarantee truthfulness. As a counterexample, the CA mechanism is not omni-truthful.

In both this section and section 4, we consider the setting that is not detail-free, i.e. the information structure is assumed to be known. We will relax this assumption in section 5.

3.1 The Joint-disjoint Task Framework

As shown in Mechanism 1, the JD-framework applies a simplified task-selection rule and allows a generalized form for the scoring function. We highlight the main differences as follow:

- The JD-framework first applies independent permutations of the tasks assigned to each agent. This prevents agents from correlating in undesired ways. For example, agents cannot collude by reporting “yes” on odd tasks and “no” on even tasks to create stronger correlations than truth-telling.

⁹Although, some mechanisms, e.g. the CA mechanism, can deal with the case of negatively correlated signals, assuming that agents' signals on the same task are positively correlated provides good intuition.

¹⁰We further note that there are mechanisms (e.g. the Φ -pairing mechanism [11]) which apply asymmetric scoring functions, i.e. $T_b \neq T_q$.

- While scoring an agent, the JD-framework only draws one task from the tasks answered by that agent as the joint task, and draws the disjoint task from the tasks only answered by her peer. Thus, the agent’s signal on any task other than the joint task is irrelevant to her payment.
- The JD-framework generalizes the scoring function of the BP-framework which takes three reports as input.

MECHANISM 1: The joint-disjoint task framework.

Input: Two sets of tasks N_1 and N_2 with intersection N_c .

- 1 Randomly and independently permute the tasks in N_1 and N_2 and solicit the answers from two agents. The solicited reports from two agents in the original order are denoted as r_1 and r_2 respectively.
- 2 Pick one task uniformly and randomly from the common tasks N_c as the joint task j , and pick another task randomly at uniform from the tasks only answered by agent 2, $N_2 \setminus N_c$ as the disjoint task d .
- 3 The payment for agent 1 is

$$U_1 = T(r_{1,j}, r_{2,j}, r_{2,d}). \quad (2)$$

Before we introduce our mechanisms, we first show an important property: in terms of agents’ expected payments, any strategy is equivalent to a task-exchangeable strategy under the JD-framework. Intuitively, this is because for any strategy C in the space $\Theta_C \setminus \Theta_E$, we can find a task-exchangeable strategy E such that C differs from E only in the cases where different permutations of the same signal vector are treated differently under C but identically under E . However, by the random permutation step within the JD-framework, C and E should be equivalent after taking the expectation over the randomness of the permutation.

Lemma 3.1. *In Mechanism 1, for any $C_1, C_2 \in \Theta_C$, there exist $E_1, E_2 \in \Theta_E$ such that $\mathbb{E}[U_1(E_1, E_2)] = \mathbb{E}[U_1(C_1, C_2)]$.*

Proof. We first write down the expected payment of agent 1, where the expectation is taken over the randomness of the signals, agents’ strategies and the mechanism (random permutations and the random selection of bonus/penalty tasks).

$$\begin{aligned} \mathbb{E}[U_1(C_1, C_2)] &= \mathbb{E}[T(R_{1,J}^{C_1}, R_{2,J}^{C_2}, R_{2,D}^{C_2})] && (J \text{ and } D \text{ are random variables of tasks } j \text{ and } d.) \\ &= \sum_{r_1, r_2, r_3 \in \Sigma} \Pr(R_{1,J}^{C_1} = r_1, R_{2,J}^{C_2} = r_2, R_{2,D}^{C_2} = r_3) T(r_1, r_2, r_3) && (\text{Marginalizing reports}) \end{aligned}$$

The joint probability of agents’ reports in the above equation depends on agents’ signals and strategies. Next, we further marginalize agents’ signals on the joint task and disjoint task.

$$\begin{aligned} &\mathbb{E}[U_1(C_1, C_2)] \\ &= \sum_{s_1, s_2, s_3 \in \Sigma} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) \sum_{r_1, r_2, r_3 \in \Sigma} \Pr(R_{1,J}^{C_1} = r_1 | S_{1,J} = s_1) \\ &\quad \Pr(R_{2,J}^{C_2} = r_2 | S_{2,J} = s_2, S_{2,D} = s_3) \Pr(R_{2,D}^{C_2} = r_3 | S_{2,J} = s_2, S_{2,D} = s_3) T(r_1, r_2, r_3) \\ &= \frac{1}{n_c(n - n_c)} \sum_{\substack{j \in N_c \\ d \in N_2 \setminus N_c}} \sum_{\substack{s_1, s_2, s_3 \\ \in \Sigma}} \Pr(S_{1,j} = s_1, S_{2,j} = s_2, S_{2,d} = s_3) \sum_{\substack{r_1, r_2, r_3 \\ \in \Sigma}} \Pr(R_{1,j}^{C_1} = r_1 | S_{1,j} = s_1) \\ &\quad \Pr(R_{2,j}^{C_2} = r_2 | S_{2,j} = s_2, S_{2,d} = s_3) \Pr(R_{2,d}^{C_2} = r_3 | S_{2,j} = s_2, S_{2,d} = s_3) T(r_1, r_2, r_3). \end{aligned}$$

Note that the above equations hold because agent 1 cannot observe the signal on the penalty task. Therefore, her report on the bonus task does not depend on agent 2’s signals on either task, i.e. $\Pr(R_{1,J}^{C_1} = r_1 | S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) = \Pr(R_{1,J}^{C_1} = r_1 | S_{1,J} = s_1)$.

Now, to prove the lemma, we can focus on the conditional probabilities. For agent 1, $\Pr(R_{1,j}^{C_1} = r_1 | S_{1,j} = s_1)$ is the probability of agent 1 reporting r_1 on task j when her signal on that task is s_1 and her strategy is C_1 . We want to show that this probability can be equivalently achieved with a task-exchangeable strategy. We summarize these results for agent 1 and agent 2 in Proposition A.1 and A.2 respectively (see appendix A), which completes the proof. \square

Lemma 3 implies that any mechanism that is truthful under task-exchangeable strategies is also truthful under any strategies in general. Thus, in the rest of the paper, we can focus on task-exchangeable strategies.

3.2 The Plug-in Omni-Truthful Mechanisms

Now, we reveal the power of the JD-framework. We show that simply plugging the scoring function of any truthful mechanism into the JD-framework gives us an omni-truthful mechanism. To begin with, we introduce the following reduction.

Definition 3.2 (JD-reduction). Given a mechanism \mathcal{M}^{BP} under the BP-framework which rewards agent 1 $T_b(r_{1,b}, r_{2,b}) - T_p(r_{1,q}, r_{2,p})$, we map it to a mechanism \mathcal{M}^{JD} under the JD-framework whose scoring function T satisfies that $T(r_{1,j}, r_{2,j}, r_{2,d}) = T_b(r_{1,j}, r_{2,j}) - T_p(r_{1,j}, r_{2,d})$. We call \mathcal{M}^{JD} the *plug-in* mechanism of \mathcal{M}^{BP} .

JD-reduction creates a mapping from a mechanism under the classic BP-framework to a mechanism under the JD-framework. At the heart of the mapping is that instead of drawing another penalty task from agent 1, the JD-framework will reuse agent 1's report on the joint task as her report on one of the penalty tasks. We now show that the plug-in mechanism not only preserves all the truthful properties of the original mechanism (under task-independent strategies), it additionally guarantees omni-truthfulness.

Intuitively, the plug-in mechanism is omni-truthful because given a joint task, agent 1's signals on any tasks other than the joint task have no influence of her payment. Furthermore, agents do not know which task will be chosen as the joint task. Therefore, for any task, conditioning the report on signals from other tasks is not helpful in improving the agent's expected payment.

Theorem 3.3. *The plug-in mechanism of an informed truthful mechanism under the BP-framework is still informed truthful. Furthermore, it is omni-truthful.*

Proof. Denote $U_1^{BP}(I_1, I_2)$ as the payment of agent 1 under the original mechanism \mathcal{M}^{BP} when agents' task-independent strategies are I_1 and I_2 respectively. Denote $U_1^{JD}(I_1, I_2)$ as the payment of agent 1 under the plug-in mechanism \mathcal{M}^{JD} as defined in Definition 3.2. The first step is to show that $\mathbb{E}[U_1^{JD}(I_1, I_2)] = \mathbb{E}[U_1^{BP}(I_1, I_2)]$. Again, we marginalize the expected payment over agents signals and reports on the joint and disjoint tasks. Recall that J and $M^{(i)}$ are the joint distribution of two agents' signals and the marginal distribution of agent i 's signal.

$$\begin{aligned}
& \mathbb{E}[U_1^{JD}(I_1, I_2)] \\
&= \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) \sum_{r_1, r_2, r_3} \Pr(I(s_1) = r_1) \Pr(I(s_2) = r_2) \Pr(I(s_3) = r_3) T(r_1, r_2, r_3) \\
&= \sum_{s_1, s_2, s_3} J_{s_1, s_2} M_{s_3}^{(2)} \sum_{r_1, r_2, r_3} \Pr(I(s_1) = r_1) \Pr(I(s_2) = r_2) \Pr(I(s_3) = r_3) T(r_1, r_2, r_3) \\
&= \sum_{s_1, s_2, s_3} J_{s_1, s_2} M_{s_3}^{(2)} \sum_{r_1, r_2, r_3} \Pr(I(s_1) = r_1) \Pr(I(s_2) = r_2) \Pr(I(s_3) = r_3) (T_b(r_1, r_2) - T_p(r_1, r_3)).
\end{aligned}$$

Next, we break the above equation into two summations in terms of the summation over T_b and T_p respectively. Because $T_b(r_1, r_2)$ is independent of r_3 and $T_p(r_1, r_3)$ is independent of r_2 , we can marginalize s_3 and r_3 out in the summation over T_b and marginalize s_2 and r_2 out in the summation over T_p . Then, by rephrasing the names of tasks, we achieve the reduction. Specifically,

$$\begin{aligned}
&= \sum_{s_1, s_2} J_{s_1, s_2} \sum_{r_1, r_2} \Pr(I(s_1) = r_1) \Pr(I(s_2) = r_2) T_b(r_1, r_2) - \sum_{s_1, s_3} M_{s_1}^{(1)} M_{s_2}^{(2)} \sum_{r_1, r_3} \Pr(I(s_1) = r_1) \Pr(I(s_3) = r_3) T_p(r_1, r_3) \\
&= \sum_{s_1, s_2} \Pr(S_{1,B} = s_1, S_{2,B} = s_2) \sum_{r_1, r_2} \Pr(I(s_1) = r_1) \Pr(I(s_2) = r_2) T_b(r_1, r_2) \\
&\quad - \sum_{s'_1, s_3} \Pr(S_{1,Q} = s'_1, S_{2,P} = s_3) \sum_{r'_1, r_3} \Pr(I(s'_1) = r'_1) \Pr(I(s_3) = r_3) T_p(r'_1, r_3) \\
&= \mathbb{E}[U_1^{BP}(I_1, I_2)].
\end{aligned}$$

This completes the proof of the first part, because for any $I_1, I_2 \in \Theta_I$, $\mathbb{E}[U_1^{JD}(I_1, I_2)] = \mathbb{E}[U_1^{BP}(I_1, I_2)] \leq \mathbb{E}[U_1^{BP}(\tau, \tau)] = \mathbb{E}[U_1^{JD}(\tau, \tau)]$.

Now, we show that the plug-in mechanism is omni-truthful. By Lemma 3, we only have to focus on task-exchangeable strategies, which means we only have to show that $\mathbb{E}[U_1^{JD}(E_1, \tau)] \leq \mathbb{E}[U_1^{JD}(\tau, \tau)]$, where E_1 is agent 1's task-exchangeable strategy. Let $\mathcal{C}_{n-1} = \{(c_1, \dots, c_m) \in \mathbb{N}^m \mid c_1 + \dots + c_m = n - 1\}$ be the set of possible counting vectors \mathbf{c} . Conditional on a counting vector $\mathbf{c} \in \mathcal{C}_{n-1}$ thus allows us to specify the report distribution of a task-exchangeable strategy.

$$\begin{aligned}
&\mathbb{E}[U_1^{JD}(E_1, \tau)] \\
&= \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{1,-J}) = \mathbf{c}) \sum_{r_1} \Pr(E(s_1, \mathbf{c}) = r_1) T(r_1, s_2, s_3) \\
&= \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{1,-J}) = \mathbf{c}) \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) T(E(s_1, \mathbf{c}), s_2, s_3) \\
&\leq \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{1,-J}) = \mathbf{c}) \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) T(s_1, s_2, s_3) \\
&= \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) T(s_1, s_2, s_3) \quad (\text{marginalize } \mathbf{c} \text{ out}) \\
&= \mathbb{E}[U_1^{JD}(\tau, \tau)],
\end{aligned}$$

where the inequality holds because while fixing agent 1's signals on all the other tasks as \mathbf{c} , she is never worse off to play a truthful strategy because \mathcal{M}^{JD} is truthful. This completes the proof. \square

We note that although Theorem 3.3 only says that the plug-in mechanism preserves informed truthfulness, it trivially generalizes to any (stronger) truthful guarantees such as the strongly truthfulness [2]. This is because as long as tasks are i.i.d. sampled, the two frameworks score the agent exactly the same in expectation.

With Theorem 3.3, we can easily generalize any truthful mechanism to an omni-truthful mechanism. For example, we know that the plugged-in mechanism of the CA mechanism is omni-truthful, where the scoring function is $T(r_{1,b}, r_{2,b}, r_{2,p}) = T_\Delta(r_{1,b}, r_{2,b}) - T_\Delta(r_{1,b}, r_{2,p})$.

3.3 Necessity of the JD-framework Reduction

One may wonder whether the simplifications in the JD-framework are necessary for omni-truthfulness, or if they are only necessary for the proof. In this section, we provide a counterexample to illustrate that if agent 1 (the agent who is being scored) can observe the signal of the disjoint task, the use of the scoring function of the CA mechanism does not guarantee omni-truthfulness, even we permute the tasks (as shown in step 1 of Mechanism 1). In other words, while paying agent 1, it is necessary to exclude the selection of the disjoint task from the tasks that are answered by agent 1, which implies that the JD-framework reduction is necessary.

To gain some intuition on why the CA mechanism fails in this case, we further show how it achieves truthfulness. At a high-level, the task-dependent strategy of agent 1 creates some undesired correlations between her signal on the disjoint task and her expected payment, which the CA scoring function cannot handle. We will see more in the following example.

Example. Consider a mechanism \mathcal{M} follows the task-selection rule of Mechanism 1 except that it samples the disjoint task d also from N_c . Here the disjoint task is actually jointly answered by both agents but only agent 2's report on the disjoint task is used for scoring. Suppose \mathcal{M} uses the scoring function of the CA mechanism, i.e. T_Δ . Now, suppose both agent 1 and agent 2 answer the same two tasks, denoted as a and b . In this case, \mathcal{M} will choose one of these tasks as the joint task and the other as the disjoint task uniformly at random.

CA is not omni-truthful. Suppose agent 2 is truthfully reporting. We want to show that there exist untruthful task-dependent strategies such that agent 1 is better-off deviating. Fixing any i and j as agent 1's signals on task a and b respectively, and let r_a and r_b be agent 1's corresponding reports under a task-dependent strategy C_1 . In this example, an omni-truthful mechanism must guarantee that agent 1's expected utility is maximized when $r_a = i$ and $r_b = j$ for any signal pair i and j . Otherwise, we can construct an untruthful task-dependent strategy that makes agent 1 better-off: reporting r_a and r_b while seeing i and j on two tasks, and reporting truthfully otherwise. Note that the above strategy is not task-independent. Then, by taking the expectation over the randomness of task selection and agent 2's signal, we can write down the expected payment of agent 1.

$$\begin{aligned}
& \mathbb{E}[U_1(C_1, \tau) | \mathbf{S}_1 = (i, j)] \\
&= \sum_{l \in \{a, b\}} \Pr(\text{task } l \text{ is chosen as the joint task}) \\
&\quad \left(\sum_{k \in \Sigma} \Pr(S_{2,l} = k | \mathbf{S}_1 = (i, j)) T_\Delta(r_l, k) - \sum_{k' \in \Sigma} \Pr(S_{2,-l} = k' | \mathbf{S}_1 = (i, j)) T_\Delta(r_l, k') \right) \\
&= \frac{1}{2} \sum_{l \in \{a, b\}} \sum_{k \in \Sigma} (\Pr(S_{2,l} = k | \mathbf{S}_1 = (i, j)) - \Pr(S_{2,-l} = k | \mathbf{S}_1 = (i, j))) T_\Delta(r_l, k) \quad (\text{rename } k' \text{ as } k) \\
&= \frac{1}{2} \sum_{l \in \{a, b\}} \sum_{k \in \Sigma} \left(\frac{\Pr(S_{2,l} = k, \mathbf{S}_1 = (i, j))}{\Pr(\mathbf{S}_1 = (i, j))} - \frac{\Pr(S_{2,-l} = k, \mathbf{S}_1 = (i, j))}{\Pr(\mathbf{S}_1 = (i, j))} \right) T_\Delta(r_l, k) \quad (\text{Bayesian rule}) \\
&= \frac{1}{2} \sum_{k \in \Sigma} \left(\frac{J_{i,k} M_j^{(1)}}{M_i^{(1)} M_j^{(1)}} - \frac{J_{j,k} M_i^{(1)}}{M_i^{(1)} M_j^{(1)}} \right) T_\Delta(r_a, k) + \frac{1}{2} \sum_{k \in \Sigma} \left(\frac{J_{j,k} M_i^{(1)}}{M_i^{(1)} M_j^{(1)}} - \frac{J_{i,k} M_j^{(1)}}{M_i^{(1)} M_j^{(1)}} \right) T_\Delta(r_b, k) \\
&= \frac{1}{2M_i^{(1)} M_j^{(1)}} \sum_{k \in \Sigma} (J_{i,k} M_j^{(1)} - J_{j,k} M_i^{(1)}) (T_\Delta(r_a, k) - T_\Delta(r_b, k)) \tag{3}
\end{aligned}$$

Note that $T_\Delta(i, j) = J_{i,j} - M_i^{(1)} M_j^{(2)}$. One can numerically find counterexamples such that eq. (3) is not maximized at $r_a = i$ and $r_b = j$ for some $i, j \in \Sigma$ when the size of the signal space is larger than two.¹¹ This means that there exist untruthful task-dependent strategies which make agent 1 better-off.

CA is truthful. To gain some intuition on why mechanism \mathcal{M} is not omni-truthful, it is useful to show why it is truthful. We will show that the expected payment of agent 1 (marginalizing over all i and j) is maximized by truth-telling if r_a is independent of j and r_b is independent of i , or equivalently, agent 1's

¹¹We find counterexamples by randomly initializing the joint distribution matrix J with $|\Sigma| = 3$, and searching over all possible values of r_a and r_b . When the signal space is binary, the above formula is still maximized when $r_a = i$ and $r_b = j$.

strategy is task-independent. To see this, by marginalizing eq. (3) over i, j ,

$$\begin{aligned}
\mathbb{E}[U_1(I_1, \tau)] &= \frac{1}{2} \sum_{i,j} \sum_{k \in \Sigma} \left(J_{i,k} M_j^{(1)} - J_{j,k} M_i^{(1)} \right) (T_\Delta(r_a, k) - T_\Delta(r_b, k)) \quad (\text{marginalizing eq. (3) over } i, j) \\
&= \frac{1}{2} \sum_i \sum_{k \in \Sigma} T_\Delta(I_1(i), k) \sum_j \left(J_{i,k} M_j^{(1)} - J_{j,k} M_i^{(1)} \right) \quad (r_a = I_1(i) \text{ is independent of } j) \\
&\quad - \frac{1}{2} \sum_j \frac{1}{M_j^{(1)}} \sum_{k \in \Sigma} T_\Delta(I_1(j), k) \sum_i \left(J_{i,k} M_j^{(1)} - J_{j,k} M_i^{(1)} \right) \quad (r_b = I_1(j) \text{ is independent of } i) \\
&= \frac{1}{2} \sum_i \sum_{k \in \Sigma} T_\Delta(I_1(i), k) \left(J_{i,k} - M_i^{(1)} M_k^{(2)} \right) - \frac{1}{2} \sum_j \sum_{k \in \Sigma} T_\Delta(I_1(j), k) \left(M_j^{(1)} M_k^{(2)} - J_{i,k} \right) \\
&= \sum_i \sum_{k \in \Sigma} T_\Delta(I_1(i), k) \left(J_{i,k} - M_i^{(1)} M_k^{(2)} \right) \quad (\text{rename } j \text{ as } i \text{ and combine the summations}) \\
&= \sum_i \sum_{k \in \Sigma} \Delta_{i,j} T_\Delta(I_1(i), k) \tag{4} \\
&\leq \sum_i \sum_{k \in \Sigma} \Delta_{i,j} T_\Delta(i, k) \\
&= \mathbb{E}[U_1(\tau, \tau)]
\end{aligned}$$

How does the CA mechanism realize truthfulness? From the above example, when strategies are task-independent, the magic of the CA mechanism relies on the property that the expected payment of an agent is determined by the product of the delta matrix and the scoring function $T_\Delta(i, j) = \text{Sign}^+(\Delta_{i,j})$ (as shown in eq. (4)). Therefore, truth-telling maximizes this product because whenever the delta matrix has a positive entry, the scoring function pairs it with a 1; and any untruthful reporting only increases the probability that a positive entry is paired with 0 which decreases the product.

However, when agent 1's strategy depends on her signals across all tasks, the CA mechanism can no longer preserve this magical expected payment structure (as shown in eq. (3)). Thus, the scoring function T_Δ can no longer guarantee truthfulness in the above example where agent 1 can observe the signal of the disjoint task.

4 The Matching Agreement Mechanism

We have shown that to achieve omni-truthfulness, we can simply plug any truthful mechanism into the JD-framework. However, this method does not preserve informed truthfulness. At a high-level, because the JD-framework uses agent 2's reports from two distinct tasks to score agent 1, based on our intuition from section 3.3, agent 2's task-dependent strategy may be correlated with agent 1's payment in an undesired way. Therefore, the key of omni-truthfulness is to find a scoring function that can handle this correlation.

We present an informed omni-truthful mechanism called the matching agreement (MA) mechanism. The scoring function of MA is based on the following three-dimensional matrix, called the Gamma matrix.

Definition 4.1. The Gamma matrix Γ is a $|\Sigma| \times |\Sigma| \times |\Sigma|$ matrix:

$$\Gamma_{i,j,k} = \Pr(S_1 = i, S_2 = j) \Pr(S_2 = k) - \Pr(S_1 = i, S_2 = k) \Pr(S_2 = j) = J_{i,j} M_k^{(2)} - J_{i,k} M_j^{(2)}.$$

Furthermore, let $T_\Gamma = \text{Sign}(\Gamma)$ where $T_\Gamma(i, j, k) = 0$ if $\Gamma_{i,j,k} = 0$, and $T_\Gamma(i, j, k) = \frac{\Gamma_{i,j,k}}{|\Gamma_{i,j,k}|}$ otherwise.¹²

As shown in Mechanism 2, we use the sign of the Gamma matrix as the scoring function. Intuitively, $J_{i,j} M_k^{(2)}$ is the probability of agent 1 observes a signal of i while agent 2 observes a signal of j on the same task, and agent 2 observes a signal of k on another task. Therefore, the MA mechanism is actually asking: is it more likely that $r_{1,j}$ and $r_{2,j}$ are from the same task or is it more likely that $r_{1,j}$ and $r_{2,k}$ are from the same task? The MA mechanism rewards the agent if the former is more likely than the latter. In other words, the MA mechanism encourages agents to correlate on the same task.

¹²Different from $T_\Delta = \text{Sign}^+(\Delta)$ which is a 0/1-matrix, entries of T_Γ can be $-1, 0$ or 1 .

MECHANISM 2: The matching agreement (MA) mechanism.

1 Apply the task-selection rule of Mechanism 1 and pay agent 1

$$U_1 = T_\Gamma(r_{1,j}, r_{2,j}, r_{2,d}). \quad (5)$$

To prove the informed omni-truthfulness of the MA mechanism, we first note the following property of the Gamma scoring function, which follows directly from the definition of T_Γ .

Lemma 4.2. $T_\Gamma(i, j, k) = -T_\Gamma(i, k, j)$ for any $i, j, k \in \Sigma$.

Theorem 4.3. *The matching agreement mechanism is informed omni-truthful.*

Proof. By section 3.1, we can focus on the task-exchangeable strategies. To prove the theorem, by definition, we want to show that 1) the expected payment for agent 1 when both agents play any task-exchangeable strategies is no larger than the expected payment while both agents are truthfully reporting; and 2) in the truth-telling strategy profile, agent 1 is paid strictly larger than the strategy profile where either agent plays an uninformed strategy.

We first write down the expected payment of agent 1 when both agents play task-exchangeable strategies. Again, this is nothing more than writing out the expectations over agents' signals.

$$\begin{aligned} & \mathbb{E}[U_1(E_1, E_2)] \\ &= \mathbb{E}[T_\Gamma(R_{1,J}^{E_1}, R_{2,J}^{E_2}, R_{2,D}^{E_2})] \\ &= \sum_{s_1, s_2, s_3} \Pr(S_{1,J} = s_1, S_{2,J} = s_2, S_{2,D} = s_3) \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\gamma(\mathbf{S}_{1,-J}) = \mathbf{c}_1, \gamma(\mathbf{S}_{2,-(J,D)}) = \mathbf{c}_2) \\ & \quad T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))). \end{aligned}$$

Recall that $\mathcal{C}_n = \{(c_1, \dots, c_m) \in \mathbb{N}^m \mid c_1 + \dots + c_m = n\}$ is the set of possible counting vectors \mathbf{c} which record the number of times each signal occurs in a signal vector of length n . In the above equation, \mathbf{c}_1 is the counting vector of agent 1's signals on all tasks but J , and \mathbf{c}_2 is the counting vector of agent 2's signals on all tasks but J and D . Furthermore, recall that $\gamma(\mathbf{s})$ outputs the counting vector of the signal vector \mathbf{s} . Therefore, for example, $E_2(s_2, \mathbf{c}_2 + \gamma(s_3))$ denotes the random variable of agent 2's report when she observes s_2 on that task and the counting vector of all the other tasks is $\mathbf{c}_2 + \gamma(s_3)$. For short, we use $\Pr(\mathbf{c}_1, \mathbf{c}_2)$ to denote the joint distribution of agent 1's counting vector is \mathbf{c}_1 and agent 2's counting vector is \mathbf{c}_2 . Then, we rewrite the above equation as

$$= \sum_{s_1, s_2, s_3} J_{s_1, s_2} M_{s_3}^{(2)} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \cdot T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))).$$

Next, we reorder the summations over s_2 and s_3 and combine the reordered summation term-wisely with the above equation. Note that by Lemma 4.2, exchanging the second and the third entries of T_Γ is equivalent to converting the sign of T_Γ . Thus,

$$\begin{aligned} &= \frac{1}{2} \sum_{s_1, s_2, s_3} J_{s_1, s_2} M_{s_3}^{(2)} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \cdot T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) \\ & \quad + \frac{1}{2} \sum_{s_1, s_3, s_2} J_{s_1, s_3} M_{s_2}^{(2)} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \cdot T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_3, \mathbf{c}_2 + \gamma(s_2)), E_2(s_2, \mathbf{c}_2 + \gamma(s_3))) \\ &= \frac{1}{2} \sum_{s_1, s_2, s_3} (J_{s_1, s_2} M_{s_3}^{(2)} - J_{s_1, s_3} M_{s_2}^{(2)}) \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \cdot T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))). \end{aligned}$$

(Lemma 4.2)

Because $\Pr(\mathbf{c}_1, \mathbf{c}_2)$ is independent of s_1, s_2 and s_3 , we can exchange the order of summations as follows.

$$\begin{aligned}
&= \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) \quad (6) \\
&\leq \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(s_1, s_2, s_3) \quad (\text{by definition of } T_\Gamma) \\
&= \frac{1}{2} \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(s_1, s_2, s_3)
\end{aligned}$$

Now, we unpack Γ and apply Lemma 4.2 one more time.

$$\begin{aligned}
&= \frac{1}{2} \sum_{s_1, s_2, s_3} (J_{s_1, s_2} M_{s_3}^{(2)} - J_{s_1, s_3} M_{s_2}^{(2)}) \cdot T_\Gamma(s_1, s_2, s_3) \\
&= \frac{1}{2} \sum_{s_1, s_2, s_3} J_{s_1, s_2} M_{s_3}^{(2)} \cdot T_\Gamma(s_1, s_2, s_3) + \frac{1}{2} \sum_{s_1, s_2, s_3} J_{s_1, s_3} M_{s_2}^{(2)} \cdot T_\Gamma(s_1, s_3, s_2) \quad (\text{Lemma 4.2}) \\
&= \mathbb{E}[U_1(\tau, \tau)]
\end{aligned}$$

Therefore, no task-dependent strategy profile can bring larger expected payment than the truth-telling profile, which completes the proof of the first part.

For the second part, we will show that if at least one of the agents play the uninformed strategy, the expected payment for agent 1 is zero which is strictly less than the truth-telling profile. To see this, first let agent 1 plays an arbitrary uninformed strategy μ :

$$\begin{aligned}
\mathbb{E}[U_1(\mu, E_2)] &= \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(\mu(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) \\
&\quad (\text{by eq. (6)})
\end{aligned}$$

Let $H = \mu(s_1, \mathbf{c}_1)$. Because μ is uninformative, H does not depend on s_1 and \mathbf{c}_1 . We can reorder the summations.

$$= \frac{1}{2} \sum_{\mathbf{c}_2 \in \mathcal{C}_{n-2}} \sum_{s_2, s_3} T_\Gamma(H, E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) \sum_{s_1} \Gamma(s_1, s_2, s_3) \sum_{\mathbf{c}_1 \in \mathcal{C}_{n-1}} \Pr(\mathbf{c}_1, \mathbf{c}_2)$$

First not that $\sum_{\mathbf{c}_1 \in \mathcal{C}_{n-1}} \Pr(\mathbf{c}_1, \mathbf{c}_2) = \Pr(\mathbf{c}_2)$. Then, $\sum_{s_1} \Gamma(s_1, s_2, s_3) = (M_{s_2}^{(2)} M_{s_3}^{(2)} - M_{s_3}^{(2)} M_{s_2}^{(2)})$.

$$\begin{aligned}
&= \frac{1}{2} \sum_{\mathbf{c}_2 \in \mathcal{C}_{n-2}} \Pr(\mathbf{c}_2) \sum_{s_2, s_3} T_\Gamma(H, E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) (M_{s_2}^{(2)} M_{s_3}^{(2)} - M_{s_3}^{(2)} M_{s_2}^{(2)}) = 0 \\
&= 0.
\end{aligned}$$

With the same recipe, one can prove the analogue result for agent 2 playing the uninformed strategy:

$$\begin{aligned}
\mathbb{E}[U_1(E_1, \mu)] &= \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(E_1(s_1, \mathbf{c}_1), \mu(s_2, \mathbf{c}_2 + \gamma(s_3)), \mu(s_3, \mathbf{c}_2 + \gamma(s_2))) \\
&= \frac{1}{2} \sum_{\mathbf{c}_1 \in \mathcal{C}_{n-1}} \sum_{s_1} T_\Gamma(E_1(s_1, \mathbf{c}_1), H, H') \sum_{s_2, s_3} \Gamma(s_1, s_2, s_3) \sum_{\mathbf{c}_2 \in \mathcal{C}_{n-2}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \\
&\quad (H \text{ and } H' \text{ are r.v.s that do not depend on } s_2, s_3 \text{ and } \mathbf{c}_2.) \\
&= \frac{1}{2} \sum_{\mathbf{c}_1 \in \mathcal{C}_{n-1}} \Pr(\mathbf{c}_1) \sum_{s_2, s_3} T_\Gamma(H, E(s_2, \mathbf{c}_2 + \gamma(s_3)), E(s_3, \mathbf{c}_2 + \gamma(s_2))) (M_{s_1}^{(1)} - M_{s_1}^{(1)}) \\
&= 0.
\end{aligned}$$

Therefore, as long as agents' signals are informed, $\mathbb{E}[U_1(\tau, \tau)] > \mathbb{E}[U_1(\mu_1, E_2)] = \mathbb{E}[U_1(E_1, \mu_2)] = \mathbb{E}[U_1(\mu_1, \mu_2)] = 0$, which completes the proof. \square

One may notice that the MA mechanism is similar to the CA mechanism in many aspects. For example, although they are mathematically different, at a high level, they both reward agents based on the same idea: encouraging correlations on the same task and punishing correlations on distinct tasks. The MA mechanism also enjoys several nice properties as the CA mechanism has. For example, they both are clean in math and require as few as two tasks to apply. As we will see in the next section, the MA mechanism can be learned with the same recipe as the CA mechanism.

5 Detail-Free Mechanisms

So far, we have assumed that we know the joint distribution between agents' signals, and thus know the Delta matrix and the Gamma matrix. What if the information structure is not known which is common while we are soliciting reports for a new type of questions and from a new group of agents? In the detail-free setting, we learn the scoring function purely from agents' reports. We show that as long as there are enough i.i.d. tasks to estimate the joint distributions accurately, the detail-free version of our mechanisms can still guarantee approximate (informed) truthfulness. We first generalize our JD-framework to the detail-free setting.

MECHANISM 3: The detail-free JD-framework.

Input: Two sets of tasks N_1 and N_2 with intersection N_c , and two agents.

- 1 Randomly permute the tasks in N_1 and N_2 and solicit the answers from two agents. Then, rearrange the tasks in the original order. The solicited reports from two agents in the original order are denoted as \mathbf{r}_1 and \mathbf{r}_2 respectively.
 - 2 Let \tilde{J} be the empirical joint distributions of reports estimated using the common tasks from N_c . That is, $\tilde{J}_{i,j}$ is the frequency of observing reports (i, j) on the same task over the number of common tasks.
 - 3 Similarly, let \tilde{M}^k be the empirical marginal distributions of reports estimated using tasks from N_k for $k = 1, 2$.
 - 4 Compute the estimated scoring function \tilde{T} using the empirical distributions in the previous steps.
 - 5 Apply the task-selection rule of Mechanism 1 and reward agent 1 with the estimated scoring function \tilde{T} .
-

As the scoring function mainly depends on the joint distribution between agents' signals (and marginal distribution of each agent's signal), the main idea of Mechanism 3 is to use agents' reports to estimate these distributions and pay agents based on the estimated scoring function. The same recipe has been used to design many truthful mechanisms in the detail-free setting [14, 11, 5]. We show that this method works for our mechanisms as well.

The detail-free plug-in mechanism. The plug-in mechanisms have the same expected payment as the original mechanisms under the BP-framework. In other words, to guarantee truthfulness (or (ϵ, δ) -truthfulness with the same error rates), they require the same accuracy of the estimation as the original mechanisms. Thus, it is not surprising that the plugged-in method will preserve the requirement of the number of tasks. Again, we use the CA mechanism as an example.

Theorem 5.1 ([14]). *Suppose $\epsilon > 0$ and $0 < \delta < 1$. Suppose $n_c = \Theta(n)$. Then, there exists a number of tasks $n = O(|\Sigma|^3 \log \frac{1}{\delta} / \epsilon^2)$ such that the plug-in mechanism of the CA mechanism is (ϵ, δ) -omni-truthful and (ϵ, δ) -informed truthful.*

Theorem 5.1 is a corollary of Theorem 5.13 of Shnayder et al. [14]. First, the CA mechanism is known to be (ϵ, δ) -informed truthful with $O(|\Sigma|^3 \log \frac{1}{\delta} / \epsilon^2)$ tasks. Then, Theorem 3.3 straightforwardly generalizes truthfulness to omni-truthfulness.

The MA mechanism. A more interesting question is whether the same recipe can be used to design the detail-free MA mechanism and how many tasks are required. The first challenge is that since we are using agents' reports to estimate the scoring function, it may be possible for the agents to game the mechanism by potentially changing the scoring function. Fortunately, the following lemma shows that this can never happen.

Lemma 5.2. *Let $U_1^T(C_1, C_2)$ be the payment of agent 1 under the scoring function T when agents' strategies are C_1 and C_2 respectively. For any scoring function under the JD-framework $T \in \{-1, 0, 1\}^{|\Sigma| \times |\Sigma| \times |\Sigma|}$ that satisfies $T_{i,j,k} = -T_{i,k,j}$, and any task-dependent strategies $C_1, C_2 \in \Theta_C$, we have $\mathbb{E}[U_1^{T_\Gamma}(\tau, \tau)] \geq \mathbb{E}[U_1^T(C_1, C_2)]$.*

Proof. Again, by Lemma section 3.1, we can focus on task-exchangeable strategies. Let E_1 and E_2 be the task-exchangeable strategies that are equivalent to strategies C_1 and C_2 . By eq. (6), the expected payment for agent 1 while the scoring function is T and strategies are E_1 and E_2 is:

$$\begin{aligned}
\mathbb{E}[U_1^T(E_1, E_2)] &= \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T(E_1(s_1, \mathbf{c}_1), E_2(s_2, \mathbf{c}_2 + \gamma(s_3)), E_2(s_3, \mathbf{c}_2 + \gamma(s_2))) \\
&\leq \frac{1}{2} \sum_{\substack{\mathbf{c}_1 \in \mathcal{C}_{n-1} \\ \mathbf{c}_2 \in \mathcal{C}_{n-2}}} \Pr(\mathbf{c}_1, \mathbf{c}_2) \sum_{s_1, s_2, s_3} |\Gamma(s_1, s_2, s_3)| && \text{(Entries of } T \text{ are } -1, 0 \text{ or } 1) \\
&= \frac{1}{2} \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) \text{Sign}(\Gamma(s_1, s_2, s_3)) \\
&= \frac{1}{2} \sum_{s_1, s_2, s_3} \Gamma(s_1, s_2, s_3) T_\Gamma(s_1, s_2, s_3) \\
&= \mathbb{E}[U_1^{T_\Gamma}(\tau, \tau)].
\end{aligned}$$

□

Lemma 5.2 is the key of understanding why the MA mechanism is informed omni-truthful. It shows that agents can never improve their expected payments by reporting untruthfully and manipulating the ideal scoring function T_Γ .

We use the following two-step argument to provide some intuition on why MA is informed truthful in the detail-free setting. First, any scoring function estimated with our detail-free JD-framework satisfies the property of $\tilde{T}_{i,j,k} = -\tilde{T}_{i,k,j}$ for any $i, j, k \in \Sigma$, since $\tilde{T}_{i,j,k} = \text{Sign}(\tilde{J}_{i,j} \tilde{M}_k^2 - \tilde{J}_{i,k} \tilde{M}_j^2)$. Therefore, exchanging the second and the third entry of \tilde{T} is equivalent to inverting the sign. Second, by Lemma 5.2, T_Γ (which is unknown) together with the truth-telling strategy profile maximizes the expected payment. This implies that, indeed, agents can be strategic in changing the scoring function, but this will only harm the expected payment.

Now, to prove informed omni-truthfulness, we only have to show that if there are enough tasks, the estimated scoring function converges to the maximum expected payment $\mathbb{E}[U_1^{T_\Gamma}(\tau, \tau)]$ with high probability. We summarize this result in the following theorem.

Theorem 5.3. *Suppose $\epsilon > 0$ and $0 < \delta < 1$. Suppose $n_c = \Theta(n)$. Then, there exists a number of tasks $n = O(|\Sigma|^3 \log \frac{1}{\delta} / \epsilon^2)$ such that the MA mechanism is (ϵ, δ) -informed omni-truthful.*

Proof. As we have shown, if when both agents report truthfully and there are $n = O(|\Sigma|^3 \log \frac{1}{\delta} / \epsilon^2)$ tasks we can estimate the maximum expected payment with probability at least $1 - \delta$ and error at most ϵ , by Lemma 5.2, we have an (ϵ, δ) -informed omni-truthful mechanism. We want to show: with probability at least $1 - \delta$,

$$\left| U_1^{\tilde{T}}(\tau, \tau) - U_1^{T_\Gamma}(\tau, \tau) \right| \leq \epsilon,$$

where \tilde{T} is the scoring function learned from Mechanism 3 with all agents truthfully reporting. Note that

$$\begin{aligned} \left| U_1^{\tilde{T}}(\tau, \tau) - U_1^{T\Gamma}(\tau, \tau) \right| &= \frac{1}{2} \left| \sum_{i,j,k} \Gamma(i, j, k) \left(\text{Sign}(\tilde{\Gamma}(i, j, k)) - \text{Sign}(\Gamma(i, j, k)) \right) \right| \\ &\leq \frac{1}{2} \sum_{i,j,k} \Gamma(i, j, k) \left| \text{Sign}(\tilde{\Gamma}(i, j, k)) - \text{Sign}(\Gamma(i, j, k)) \right| \\ &\leq \sum_{i,j,k} \left| \Gamma(i, j, k) - \tilde{\Gamma}(i, j, k) \right|. \end{aligned}$$

Therefore, we only have to bound the total variation divergence between the empirical Gamma matrix and the underlying Gamma matrix. We now apply the result that any distribution over the finite domain Λ can be learned within L1 distance of ϵ and with probability $1 - \delta$ given $O(|\Lambda| \log \frac{1}{\delta} / \epsilon^2)$ i.i.d. samples [3]. This means that with $n_c = O(16|\Sigma|^2 \log \frac{1}{\delta} / \epsilon^2)$ common tasks we can estimate the marginal distributions with error $\frac{\epsilon}{4}$, and with $n = O(16|\Sigma|^3 \log \frac{1}{\delta} / \epsilon^2)$ tasks we can estimate the joint distribution with error $\frac{\epsilon}{4|\Sigma|}$. Formally,

$$\sum_{i,j} \left| J_{i,j} - \tilde{J}_{i,j} \right| \leq \frac{\epsilon}{4} \quad \text{and} \quad \sum_k \left| M_k^{(2)} - \tilde{M}_k^2 \right| \leq \frac{\epsilon}{4|\Sigma|}.$$

Now, we can bound the L1 distance between two Gamma matrices:

$$\begin{aligned} \sum_{i,j,k} \left| \Gamma(i, j, k) - \tilde{\Gamma}(i, j, k) \right| &= \sum_{i,j,k} \left| J_{i,j} M_k^{(2)} - J_{i,k} M_j^{(2)} - (\tilde{J}_{i,j} \tilde{M}_k^2 - \tilde{J}_{i,k} \tilde{M}_j^2) \right| \\ &\leq 2 \sum_{i,j,k} \left| J_{i,j} M_k^{(2)} - \tilde{J}_{i,j} \tilde{M}_k^2 \right| \\ &\leq 2 \sum_{i,j,k} \left| J_{i,j} M_k^{(2)} - \tilde{J}_{i,j} \left(M_k^{(2)} \pm \frac{\epsilon}{4|\Sigma|} \right) \right| \\ &= 2 \sum_{i,j,k} \left| M_k^{(2)} (J_{i,j} - \tilde{J}_{i,j}) \pm \frac{\epsilon}{4|\Sigma|} \tilde{J}_{i,j} \right| \\ &\leq 2 \sum_{i,j,k} M_k^{(2)} \left| J_{i,j} - \tilde{J}_{i,j} \right| + \frac{\epsilon}{2|\Sigma|} \sum_{i,j,k} \tilde{J}_{i,j} \\ &= 2 \sum_{i,j} \left| J_{i,j} - \tilde{J}_{i,j} \right| + \frac{\epsilon}{2|\Sigma|} \sum_{i,j,k} \tilde{J}_{i,j} \quad (\text{Marginalize } M_k^{(2)}) \\ &\leq \frac{\epsilon}{2} + \frac{\epsilon}{2} = \epsilon \end{aligned}$$

This completes the proof as with probability at least $1 - \delta$,

$$U_1^{T\Gamma}(\tau, \tau) \geq U_1^{\tilde{T}}(\tau, \tau) - \epsilon \geq U_1^{\tilde{T}}(C_1, C_2) - \epsilon,$$

and furthermore, one can easily verify that if either agent plays an uninformative strategy, the expected payment is 0 which is strictly smaller than $U_1^{T\Gamma}(\tau, \tau)$ for a small enough ϵ . \square

Perhaps surprisingly, although the scoring function of the MA mechanism looks more complicated than the CA mechanism (a three-dimension matrix v.s. a two-dimension matrix), they require the same order of tasks to learn. Indeed, they both required learning the same artifacts, i.e. the joint distribution of agents' signals.

6 Conclusion and Future Work

Our paper provides the first discussion on how to design (informed) omni-truthful mechanisms that generalize previous literature beyond the assumption of task-independent strategy. We present

- the joint-disjoint task framework (JD-framework) which simplifies the commonly used bonus-penalty task framework (BP-framework) from the previous literature;
- a plug-in method that directly generalizes truthfulness to omni-truthfulness;
- the matching agreement (MA) mechanism, an informed omni-truthful mechanism;
- a method to learn the MA mechanism in the detail-free setting which requires the number of tasks in the same order as the CA mechanism.

However, there are more to do. Potential future directions include all the questions we have asked in the task-independent setting, such as how to design mechanisms with guarantees that are stronger than (ϵ, δ) -informed omni-truthfulness, how to reduce the number of tasks required to learn the mechanisms, and how to handle infinite signal space. We further provide some intuitions on the following two future problems. First, we believe there is a much larger space of omni-informed truthful mechanisms. The question is then whether we can identify a family of them. For example, the f -mutual information mechanism [7] provides a good intuition on why mechanisms are truthful. Can we generalize the idea to explain omni-truthfulness? Is the MA mechanism also measuring some forms of the mutual information between agents? Second, we generalize the strategies beyond the task-independent assumption, but our mechanisms still require the tasks to be i.i.d.. Is our intuition in this paper helpful in preventing strategic behaviors given correlations on the tasks?

References

- [1] Arpit Agarwal, Debmalya Mandal, David C Parkes, and Nisarg Shah. Peer prediction with heterogeneous users. In *Proceedings of the 2017 ACM Conference on Economics and Computation*, pages 81–98. ACM, June 2017.
- [2] Anirban Dasgupta and Arpita Ghosh. Crowdsourced judgement elicitation with endogenous proficiency. In *Proceedings of the 22nd international conference on World Wide Web*, pages 319–330. ACM, 2013.
- [3] Luc Devroye and Gábor Lugosi. *Combinatorial methods in density estimation*. Springer Science & Business Media, 2001.
- [4] R. Jurca and B. Faltings. Mechanisms for making crowds truthful. *Journal of Artificial Intelligence Research*, 34:209–253, mar 2009. doi: 10.1613/jair.2621. URL <https://doi.org/10.1613%2Fjair.2621>.
- [5] Yuqing Kong. Dominantly truthful multi-task peer prediction with a constant number of tasks. In *Proceedings of the Thirty-First Annual ACM-SIAM Symposium on Discrete Algorithms*, SODA '20, page 2398–2411, USA, 2020. Society for Industrial and Applied Mathematics.
- [6] Yuqing Kong. More dominantly truthful multi-task peer prediction with a finite number of tasks. In *13th Innovations in Theoretical Computer Science Conference (ITCS 2022)*. Schloss Dagstuhl-Leibniz-Zentrum für Informatik, 2022.
- [7] Yuqing Kong and Grant Schoenebeck. An information theoretic framework for designing information elicitation mechanisms that reward truth-telling. *ACM Trans. Econ. Comput.*, 7(1), January 2019. ISSN 2167-8375. doi: 10.1145/3296670. URL <https://doi.org/10.1145/3296670>.
- [8] Yuqing Kong, Grant Schoenebeck, Biaoshuai Tao, and Fang-Yi Yu. Information elicitation mechanisms for statistical estimation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(02): 2095–2102, Apr. 2020. doi: 10.1609/aaai.v34i02.5583. URL <https://ojs.aaai.org/index.php/AAAI/article/view/5583>.
- [9] Drazen Prelec. A bayesian truth serum for subjective data. *science*, 306(5695):462–466, 2004.

- [10] Goran Radanovic and Boi Faltings. Incentive schemes for participatory sensing. In *Proceedings of the 14th international conference on autonomous agents and multiagent systems (AAMAS'15)*, number CONF, pages 1081–1089, 2015.
- [11] Grant Schoenebeck and Fang-Yi Yu. Learning and strongly truthful multi-task peer prediction: A variational approach, 2020.
- [12] Grant Schoenebeck and Fang-Yi Yu. Two strongly truthful mechanisms for three heterogeneous agents answering one question. In *International Conference on Web and Internet Economics*, pages 119–132. Springer, 2020.
- [13] Grant Schoenebeck, Fang-Yi Yu, and Yichi Zhang. Information elicitation from rowdy crowds. In *Proceedings of the Web Conference 2021, WWW '21*, page 3974–3986, New York, NY, USA, 2021. Association for Computing Machinery. ISBN 9781450383127. doi: 10.1145/3442381.3449840. URL <https://doi.org/10.1145/3442381.3449840>.
- [14] Victor Shnayder, Arpit Agarwal, Rafael Frongillo, and David C. Parkes. Informed truthfulness in multi-task peer prediction. In *Proceedings of the 2016 ACM Conference on Economics and Computation, EC '16*, pages 179–196, New York, NY, USA, 2016. ACM. ISBN 978-1-4503-3936-0. doi: 10.1145/2940716.2940790. URL <http://doi.acm.org/10.1145/2940716.2940790>.
- [15] Jens Witkowski and David C Parkes. Learning the prior in minimal peer prediction. In *Proceedings of the 3rd Workshop on Social Computing and User Generated Content at the ACM Conference on Electronic Commerce*, volume 14, page 5, 2013.
- [16] Yichi Zhang and Grant Schoenebeck. High-effort crowds: Limited liability via tournaments. In *Proceedings of the Web Conference 2023, WWW '23*, New York, NY, USA, 2023. Association for Computing Machinery. ISBN 97814503941612304. doi: 10.1145/3543507.3583334. URL <https://doi.org/10.1145/3543507.3583334>.

A Sufficiency of Studying Task-exchangeable Strategies

To show that expected utility achieved by a strategy can be achieved by a task-exchangeable strategy under the JD-framework, we have to prove the following two propositions. For simplicity, we omit the subscripts of agents, while Proposition A.1 and A.2 presents the equivalence result for agent 1 and agent 2, respectively.

Proposition A.1. *For any $C \in \Theta_C$, there exists an $E \in \Theta_E$ such that $\Pr(R_j^E = r | S_j = s) = \Pr(R_j^C = r | S_j = s)$ for any $j \in N_c$ and $s, r \in \Sigma$.*

Proof. We start with marginalizing the probability on the left-hand-side of the equation over all signal vectors of agent 1 on all tasks other than the joint task j and all possible permutations (due to step 1 in Mechanism 1). We use $-j$ to denote all the tasks in N_1 other than j .

$$\Pr(R_j^C = r | S_j = s) = \sum_{\mathbf{x} \in \Sigma^{n-1}} \Pr(\mathbf{S}_{-j} = \mathbf{x}) \sum_{\pi} \frac{1}{n!} \Pr(C(\pi(\mathbf{s} | \mathbf{s}_j = s, \mathbf{s}_{-j} = \mathbf{x}))_{\pi(j)} = r),$$

where $\pi(j)$ is the index of the joint task under permutation π , and $\pi(\mathbf{s} | \mathbf{s}_j = s, \mathbf{s}_{-j} = \mathbf{x})$ is the signal vector that the agent observes under the permutation (conditioned on her signal on task j is s and her signals on all the other tasks are \mathbf{x}). Therefore, $C(\pi(\mathbf{s} | \mathbf{s}_j = s, \mathbf{s}_{-j} = \mathbf{x}))_{\pi(j)}$ is the random variable of agent's report on the joint task after permutation.

Our goal is to represent the above probability using a task-exchangeable strategy. To do so, first note that as long as the vectors \mathbf{x} contain the same number of each signal, they appear with the same probability. That is, $\Pr(\mathbf{S}_{-j} = \mathbf{x}_1) = \Pr(\mathbf{S}_{-j} = \mathbf{x}_2)$ if $\gamma(\mathbf{x}_1) = \gamma(\mathbf{x}_2)$. Therefore, we can categorize these cases based on the counting vectors $\mathbf{c} = (c_1, \dots, c_m)$ where m is the size of signal space. Denote $\mathcal{C}_n = \{(c_1, \dots, c_m) \in \mathbb{N}^m | c_1 + \dots + c_m = n\}$ as the set of all possible counting vectors. We then can rewrite the first summation:

$$\Pr(R_j^C = r | S_j = s) = \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{-j}) = \mathbf{c}) \sum_{\substack{\mathbf{x} \in \Sigma^{n-1}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \sum_{\pi} \frac{1}{n!} \Pr(C(\pi(\mathbf{s} | \mathbf{s}_j = s, \mathbf{s}_{-j} = \mathbf{x}))_{\pi(j)} = r).$$

The next step is to simplify the expectation over permutations, i.e. the summation over π . By symmetry, we know that $\pi(j)$ will map task j to any task $l \in N_1$ with equal probability. We use π' to denote the permutation of length $n - 1$ and rewrite the summation over π as:

$$\Pr(R_j^C = r | S_j = s) = \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{-j}) = \mathbf{c}) \sum_{\substack{\mathbf{x} \in \Sigma^{n-1}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \sum_{l \in N_1} \frac{1}{n} \sum_{\pi'} \frac{1}{(n-1)!} \Pr(C(\mathbf{s} | \mathbf{s}_l = s, \mathbf{s}_{-l} = \pi'(\mathbf{x}))_l = r).$$

Because for a fixed counting vector \mathbf{c} , any vector \mathbf{x} such that $\gamma(\mathbf{x}) = \mathbf{c}$ will be treated equivalently while averaging all possible permutations π' . Therefore, we can simply remove the marginalization over π' in the above equation.

$$\Pr(R_j^C = r | S_j = s) = \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{-j}) = \mathbf{c}) \frac{1}{n} \sum_{l \in N_1} \sum_{\substack{\mathbf{x} \in \Sigma^{n-1}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \Pr(C(\mathbf{s} | \mathbf{s}_l = s, \mathbf{s}_{-l} = \mathbf{x})_l = r).$$

Now, given any strategy $C \in \Theta_C$, signal s , report r and counting vector $\mathbf{c} \in \mathcal{C}_{n-1}$, let E be a task-exchangeable strategy such that

$$\Pr(E(s, \mathbf{c}) = r) = \frac{1}{n} \sum_{l \in N_1} \sum_{\substack{\mathbf{x} \in \Sigma^{n-1}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \Pr(C(\mathbf{s} | \mathbf{s}_l = s, \mathbf{s}_{-l} = \mathbf{x})_l = r). \quad (7)$$

Under such a strategy E ,

$$\Pr(R_j^C = r | S_j = s) = \sum_{\mathbf{c} \in \mathcal{C}_{n-1}} \Pr(\gamma(\mathbf{S}_{-j}) = \mathbf{c}) \Pr(E(s, \mathbf{c}) = r) = \Pr(R_j^E = r | S_j = s).$$

Therefore, we have developed a reduction from a arbitrary strategy to a task-exchangeable strategy such that agent 1 is equivalent in playing these two strategies. \square

Although the conditional probabilities for agent 2 are a little more complicated (agent 2's report on either the joint task or the disjoint task depends on her signals on both tasks), the same recipe can be used to prove an analogue result for agent 2.

Proposition A.2. *For any $C \in \Theta_C$, there exists an $E \in \Theta_E$ such that $\Pr(R_j^C = r | S_j = s, S_d = s') = \Pr(R_j^E = r | S_j = s, S_d = s')$ for any $j \in N_c$, $d \in N_2 \setminus N_c$ and $s, s', r \in \Sigma$. The same result holds while replacing R_j^C with R_d^C in the above equation.*

Proof. The same recipe in Proposition A.1 still applies. The only difference is that we have to condition on two signals. We use $-(j, d)$ to denote all the tasks in N_2 other than j and d .

$$\begin{aligned}
& \Pr(R_j^C = r | S_j = s, S_d = s') \\
&= \sum_{\mathbf{x} \in \Sigma^{n-2}} \Pr(\mathbf{S}_{-(j,d)} = \mathbf{x}) \sum_{\pi} \frac{1}{n!} \Pr(C(\pi(\mathbf{s} | s_j = s, \mathbf{s}_d = s', \mathbf{s}_{-(j,d)} = \mathbf{x})))_{\pi(j)} = r) \\
&= \sum_{\mathbf{c} \in \mathcal{C}_{n-2}} \Pr(\gamma(\mathbf{S}_{-(j,d)}) = \mathbf{c}) \sum_{\substack{\mathbf{x} \in \Sigma^{n-2}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \sum_{\pi} \frac{1}{n!} \Pr(C(\pi(\mathbf{s} | s_j = s, \mathbf{s}_d = s', \mathbf{s}_{-(j,d)} = \mathbf{x})))_{\pi(j)} = r) \\
&= \sum_{\mathbf{c} \in \mathcal{C}_{n-2}} \Pr(\gamma(\mathbf{S}_{-(j,d)}) = \mathbf{c}) \sum_{\substack{\mathbf{x} \in \Sigma^{n-2}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \frac{1}{n(n-1)} \sum_{\substack{l, l' \in N_2 \\ l' \neq l}} \sum_{\pi'} \frac{1}{(n-2)!} \Pr(C(\mathbf{s} | s_l = s, s_{l'} = s', \mathbf{s}_{-(l,l')} = \pi'(\mathbf{x})))_l = r) \\
&= \sum_{\mathbf{c} \in \mathcal{C}_{n-2}} \Pr(\gamma(\mathbf{S}_{-(j,d)}) = \mathbf{c}) \sum_{\substack{\mathbf{x} \in \Sigma^{n-2}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \frac{1}{n(n-1)} \sum_{\substack{l, l' \in N_2 \\ l' \neq l}} \Pr(C(\mathbf{s} | s_l = s, s_{l'} = s', \mathbf{s}_{-(l,l')} = \mathbf{x}))_l = r).
\end{aligned}$$

Now, given any strategy $C \in \Theta_C$, signals s, s' , report r and counting vector $\mathbf{c} \in \mathcal{C}_{n-2}$, let E be a task-exchangeable strategy such that

$$\Pr(E(s, \mathbf{c} + \gamma(s')) = r) = \frac{1}{n(n-1)} \sum_{\substack{\mathbf{x} \in \Sigma^{n-2}: \\ \gamma(\mathbf{x}) = \mathbf{c}}} \sum_{\substack{l, l' \in N_2 \\ l' \neq l}} \Pr(C(\mathbf{s} | s_l = s, s_{l'} = s', \mathbf{s}_{-(l,l')} = \mathbf{x}))_l = r), \quad (8)$$

where $\mathbf{c} + \gamma(s')$ is the counting vector of all tasks other than j (given the signal on the disjoint task is s'). It is easy to show that this task-exchangeable strategy satisfies the reduction property in the proposition.

Furthermore, it is trivial to show that the same reduction works for proving $\Pr(R_d^C = r | S_j = s, S_d = s') = \Pr(R_d^E = r | S_j = s, S_d = s')$, since under the permutation, the agent cannot distinguish j and d . This completes the proof. \square